



Reclamations Pvt. Ltd.

INTRODUCTION

SNR Reclamations Pvt. Ltd. was incorporated in the year 2011 for the manufacturing of Butyl Reclaim Rubber, Whole Tyre Reclaim Rubber, EPDM Reclaim Rubber. SNR is pro-actively integrated with modern technology, keeping innovations at the forefront in every step of the way.

SNR is well known for Butyl Reclaim Rubber (DE-BUTYL®), Whole Tyre Reclaim Rubber, EPDM Reclaim Rubber among the manufacturer of Tyres, Tubes, Molding and Extruding Automobile parts. SNR's Excellent reputation and its tangible achievements have been accrued from its dynamic team of managerial structure who were instrumental in creating a strong bondage with customer's supporting the company to grow in its quality and quantity continuously.

SNR's UNITS

UNIT	PRODUCT	CAPACITY		
А	BUTYL RECLAIM RUBBER	10800 MT/PER ANNUM		
В	Whole tyre reclaim rubber	3600 MT/PER ANNUM		
С	epdm reclaim rubber	2400 MT/PER ANNUM		

VISION

To provide quality products & services with a strong focus towards meeting global standards of manufacturing & quality management and processes and a strong commitment for team work, so SNR strive to be a global name in the Reclaim Rubber Industry.

MISSION

To deliver recyclable, high-quality and cost-effective Reclaim Rubber and solutions through the expansion of existing business and diversifications into eco-friendly ventures for zero health and environment hazards; in the process conserving resources, attaining market leadership and generating substantial employment.

ENVIRONMENT

Waste disposal of rubber is the most critical problem in the world of recycling. The waste rubber is the "KEY SOLUTION" to contribute towards environment. SNR itself is an excellent example, by located in the outskirts of Ludhiana, confirming to environmental norms of reducing fumes & other emissions.

RECLAIM RUBBER

Reclaimed rubber is the product resulting from the treatment of ground vulcanized scrap rubber tyres, tubes and miscellaneous waste rubber articles by the application of heat and chemical agents, followed by intense mechanical working.









TECHNICAL DATA	RUB	BER	Whole tyre Reclaim Rubber			HIGH TENSILE RECLAIM RUBBER	EPDM RECLAIM RUBBER
GRADE	De-BUTYL [®] 80	De-BUTYL [®] 90	SNR-001 (SUPERFINE)	SNR-111 (FINE)	SNR-112 (MEDIUM)	SNR-75	De-EPDM
ACETONE- EXTRACT (%)	9 <u>+</u> 3	9 <u>+</u> 3	14 <u>+</u> 2	14 <u>+</u> 2	14 <u>+</u> 2	14 <u>+</u> 2	30 <u>+</u> 5
ASH (%)	5 <u>+</u> 3	5 <u>+</u> 3	10 <u>+</u> 2	10 <u>+</u> 2	10 <u>+</u> 2	7 <u>+</u> 3	14 <u>+</u> 2
CARBON BLACK (%)	32 <u>+</u> 4	32 <u>+</u> 4	25 <u>+</u> 2	25 <u>+</u> 2	25 <u>+</u> 2	28 <u>+</u> 3	25 <u>+</u> 2
RHC BY DIFF (%)	50 Min.	50 Min.	50 Min.	50 Min.	50 Min.	48 Min.	30 Min.
VOLATILE MATTER (%)	1 Max	1 Max	1 Max	1 Max	1 Max	1 Max	1 Max
SPECIFIC GRAVITY (gm/cc)	1.12 <u>+</u> 0.02	1.1 <u>4+</u> 0.02	1.14 <u>+</u> 0.03	1.14 <u>+</u> 0.03	1.14 <u>+</u> 0.03	1.14 <u>+</u> 0.03	1.14 <u>+</u> 0.02
TENSILE STRENGTH (kg/cm²)	7.5Min/MPA	8.5Min/MPA	60 Min.	55 Min.	45 Min.	75 Min.	60 Min.
ELONGATION AT BREAK (%)	480 Min.	500 Min.	250 Min.	230 Min.	210 Min.	250 Min.	375 Min.
HARDNESS	51 <u>+</u> 5	51 <u>+</u> 5	57 <u>+</u> 5	57 <u>+</u> 5	57 <u>+</u> 5	59 <u>+</u> 3	55 <u>+</u> 5
MOONEY VISCOSITY	40 - 55	40 - 55	25 - 55	25 - 55	25 - 55	35 - 60	40 - 60











ADVANTAGES OF RECLAIMED RUBBER

- Short and Fast Mixing Power
- Reduce Power Consumption
- Low Heat Build up in Processing
- Low Thermo Plasticity
- Cost Reduction, Long Shelf Life

QUALITY PRODUCT

 As its State of Art Plant in Ludhiana, the company uses the finest quality raw material and observes every product carefully during each stage of production to ensure.

EFFICIENTLY WORK STYLE

Professional knowledge and the Technical ability, Commitment to work, and standardized processes.

LABORATORY

 Well equipped in-house laboratory for the testing of process raw material, finished product and compounding material with perfect quality assurance, systems and strict methods reflects our innovative spirit.

PACKAGING

- Ensuring a quality product to meet needs as per specifications and expectations of esteemed customers
- Customized packing

CREDENTIALS

- Airia
- Capaxil
- Iso 9001-2015
- Reach Compliance









Office Address:

114 Green Field, Pakhowal Road, Ludhiana -141001, Punjab (india) Works Area:

Kohara-Machhiwara Road, Village Bhama Kalan, VPO Katani Kalan, Ludhiana -141113 (Punjab), India



Contact Details

Mobile: +91-9876066777, Tel:0161-4645114 E-mail: snrreclamations@gmail.com

Website: www.snrreclamations.com

International Sales

JAS BATRA

(Overseas Sales Manager)



(S) +91-75088-83687





